11. If the timber is not removed within the time allowed, the same may, after ten days' notice to the purchaser, be sold in public auction and the proceeds will be given to the purchaser after defraying all the expenses in connection with the resale.

12. The deposit of Rs. 200 will remain as security for the due fulfilment of all and every one of the terms of sale, on the breach of any of which by the purchaser, the District Forest Officer shall be entitled to forfeit the deposit in whole or in part and in the event of such forfeiture, the sum so forfeited shall be immediately made good by the purchaser so long as the transaction is not finally closed. The security deposit or the balance thereof, if any, shall be returned to the purchaser after the full value of timber purchased has been paid for and the timber fully removed.

D. NARASIMHAMOORTHY RAO,
District Forest Officer.

SHIMOGA FOREST DIVISION.

Abstract Notification dated 20th February 1940.

The attention of the public is invited to the detailed notification of date, regarding the Auction Sale of Tupra Leaves of Honnali Taluk, from the date of confirmation to end of June 1942, published on page 422, Part VI of the *Mysore Gazette*, dated 29th February 1940.

The sale will be held by the District Forest Officer, Shimoga, or his Assistant at Honnali on Wednesday, the 20th March 1940 at 3 P.M.

M. A. MUTHANNA,
District Forest Officer.

SAGAR FOREST DIVISION.

Abstract Notification dated 24th February 1940.

The attention of the public is invited to the detailed notification, published on pages 423-424 Part VI of the *Mysore Gazette*, dated 29th February 1940, regarding the auction sale of timber at Shiralkoppa Depot to be held on 15th March 1940.

N. VENKATARAMAIYA,
District Forest Officer.

BHADRAVATI DIVISION.

Re-sale Notification dated 10th March 1940.

It is hereby notified for general information that the exclusive right of collecting and transporting the Minor Forest Produce grown on all Government unoccupied lands, Amritmahal Kavals, State Forests, Reserved Lands and Plantations of Narasimharajapura Sub-Taluk from the date of confirmation of the re-sale up to end of June 1940, will be re-sold by public auction by the District Forest Officer, Bhadravati on the 30th March 1940 at 2 P.M. in the District Forest Office.

For further conditions of the sale, please see detailed Notification No. D1-88-866—37-38, dated 15th June 1938 of the Chief Conservator of Forests in Mysore, Bangalore, published on page 1039, Part VI of the *Mysore Gazette*, dated 23rd June 1939.

H. S. RANGACHAR,
District Forest Officer.

ENGINEERING DEPARTMENT

BUILDINGS DIVISION, BANGALORE.

Notification dated 6th March 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 2 P.M. on 23rd March 1940, for constructing rooms for the Office and Stores for the 5th Company Commander First Battalion and separate rooms for the Commanding Officer of each company Mysore Infantry, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1940.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office, at Buildings Division, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 170 in cash or Government Promissory Notes, as earnest money and be superscribed "Tender for constructing rooms for Office and Stores for 5th Company Commander, first Battalion and separate rooms for the Commanding Officer of each Company in Mysore Infantry, Bangalore, in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Tenders must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any tender quoted at so much percentage less or more than estimated rate will not be accepted.

13. Copy of tender form may be obtained on payment of Re. 0-4-0 for each.

Tender for constructing rooms for the Office and Stores for the 5th Company Commanders, first Battalion and separate rooms for the Commanding Officer of each Company, Mysore Infantry, Hebbal.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Dismantling partition walls in main building ..	C.ft.	..	984	
2	Removing doors	S.ft.	..	3	
3	Removing windows..	,,	..	5	
4	Earthwork excavation for foundation for partition or cross walls, removing the excavated earth to a distance not less than 50 yards and refilling the earth with necessary watering and tamping	C.yd.	..	63	
5	Burnt stone jelly concrete for foundation in lime mortar laid in 6" layers and well consolidated	C.ft.	..	285	
6	Size stone in clay for foundation in courses not less than 8" high with bond stones at every 6' apart	,,	..	1,836	
7	Burnt brick in mud for superstructure ..	,,	..	3,364	
8	Burnt stone slabs 6" thick set in lime mortar with one line dressing for inner walls of basement, for sills and lintels of windows and for lintels of doors	S.ft.	..	91	
9	Teakwood wrought and put up with wood oiling, 2 coats	C.ft.	..	85·42	
10	Roofing with first class Mangalore tiles on teak reepers nailed including wood oiling to the reepers	Sqr.	..	12·96	
11	Mangalore ridge tiles including setting in cement mortar	R.ft.	..	26	
12	Teakwood doors with frame shutters fitting with iron materials, etc., complete as per design to be given	S.ft.	..	270	
13	Teakwood windows with frame shutters with iron fittings, etc., complete as per design to be given	,,	..	75	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
14	Ventilators with wooden frame glazed shutters, etc., complete	S.ft.	..	12	
15	Plastering with mortar for walls	Sqr.	..	72·87	
16	Flooring with 1½″ metal concrete with cement mortar over 4″ metal concrete in lime mortar, plastering with cement mortar and red ochre with lines, cut, etc., complete	,,	..	7·74	
17	Teak wood eave boards ¾′ ornamental ..	R.ft.	..	·86	
18	Painting doors and windows with two coats of chocolate paint (mixed and applied as per Bombay specifications)	Sqr.	..	9·12	
19	Pointing the basement with cement mortar ..	,,	..	1·50	
20	White washing ½″ as per plastering	,,	..	36·86	
21	Colour washing	,,	..	36·86	

M. K. RAJAM IYENGAR,
Executive Engineer.

WATER SUPPLY DIVISION.

Notification dated 5th March 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Water Supply Division, Bangalore, on 1st April 1940 upto 3 P.M. for constructing R.C.C. tank of 1,50,000 gallons capacity in the newly formed extension, Subedar Chattram Road, Bangalore, as per specifications noted below. The work should be completed within three months from the date of acceptance of tender.

2. Tenders should be submitted along with printed specification form which may be obtained from the Executive Engineer, on a payment of Re. 0-4-0.

3. Each tender must be accompanied by a chellan for having credited to the Treasury a deposit amount of Rs. 750 (Rupees seven hundred and fifty only) under "17. (*a*) P. W. deposits," and be superscribed "Tender for constructing R.C.C. tank of 1,50,000 gallons capacity in the newly formed extension, Subedar Chattram Road, Bangalore City", in default of which tenders will be rejected.

4. The final acceptance of any tender will rest with the Executive Engineer who does not bind himsef to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

5. Within eight days of the acceptance of tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled and his earnest money will be forfeited.

6. The name of the successful competitor, whose tender has been accepted will be posted on the Notice Board in the Executive Engineer's office in due course. No enquiry regarding the acceptance or rejection of tender will receive any reply.

7. After accepting one of the tenders, the earnest money on rejected tenders will be returned.

8. Rates once tendered will not be enhanced on any account.

9. Rates for non-tendered and non-estimated items shall be those fixed by the Executive Engineer after working out data with not more than 10 per cent for Contractor's profit.

10. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurement, quality of work, etc., and in all disputes of any kind, the decision of the Executive Engineer, will be final and legally binding.

Specification.

(1) The tank should be circular in shape, 50′ outside diameter and 15′ high from the floor level. This is on the ground surface.

(2) The tank should be R.C.C. and the following factors shall be taken into consideration in the design to be adopted:—

(*a*) Tensile strength of steel bars 12,000 lb. per square inch.

(*b*) While calculating for the circular side walls full bursting pressure shall be considered.

(*c*) The proportion of mixture for all portions except the roof shall be 1 : 1½ : 3 and for the roofing it shall be 1 : 2 : 4.